



URGENT FIELD SAFETY NOTICE

Product names: Actim® PROM Test, Actim® PROM 1ngeni Test

Date: November 13th, 2023

Product name (catalogue number)	Lot numbers
Actim PROM Test (30832ETAL, 30831ETAL, 30830ETAL)	All
Actim PROM 1ngeni Test (30832RETAL)	All

Dear Receiver,

The purpose of this letter is to inform you of a correction to a product claim of the products above.

Description of the problem

Our recent interference testing has shown that the presence of lubricants in the vaginal specimen may interfere with the PROM test result.

The risk for a false result may occur if a surgical lubricant is used during the specimen collection with a speculum. In addition, presence of a personal lubricant in the vagina during specimen collection may interfere with the test result.

As a precaution, we ask you to refrain from using surgical lubricants during specimen collection. We also ask you to ensure that the vaginal specimen does not contain residual lubricant from patient's recent personal use.

The instructions for use will be updated to include the tested lubricants and the concentrations causing a risk for interference. In the interim a separate note will be included in the test kit regarding the correction of the interference claims.

Actim PROM is intended to help detecting the rupture of fetal membranes. Treatment decisions during pregnancy must be based on the entire clinical picture of the patient, and not on the test result alone. A false result without taking into account the other clinical findings could mislead the clinical decision making and may cause a risk for under or overtreatment of the patient.



Actions required from receiver

1. Confirm via email that you have received this information.
2. Update all local sales and training materials based on instructions provided by Actim.
3. Inform all your Actim PROM and Actim PROM 1ngeni customers of this information of the corrective action.
4. Complete the "Distributor verification form" and email to Actim support@actimtest.com.

Transmission of this Field Safety Notice:

This notice needs to be passed on to all those who need to be aware within your organization and to all end users of Actim PROM and Actim PROM 1ngeni.

Please maintain awareness of this notice and resulting action for an appropriate period of time to ensure effectiveness of the corrective action.

The undersigned confirms that this notice is sent to the appropriate National Competent Authorities.

Please accept our sincere apology for any inconvenience this matter might have caused.

If you have any questions or concerns, please the undersigned.

Yours sincerely,

Tiina Vilkkinen

Head of QA and RA

Contact reference person:

Tiina Vilkkinen

Head of QA and RA

Actim Oy

Klovinpellontie 3, FI-02180 Espoo, Finland

Tel. +358 9 547 68 138

Mobile +358 40 7464744

Email: tiina.vilkkinen@actimtest.com

www.actimtest.com



DISTRIBUTOR VERIFICATION FORM

PRODUCT FIELD SAFETY NOTICE

We acknowledge receipt of the Actim Product Field Safety Notice dated November 13th, 2023 for the following product:

Product name: Actim [®] PROM Test and Actim [®] PROM 1ngeni Test
Catalogue number: 30832ETAL, 30831ETAL, 30830ETAL and 30832RETAL
Lot number: All

Yes

Date _____

We have informed all end users who are affected by this notification.

Yes

Date _____

Product	Number of affected customer sites
Actim PROM Test	
Actim PROM 1ngeni Test	



Authorised signature:

Date:

Print name:

Title:

Company name:

Address:

City:

State:

Postal code:

Country:

Phone:

Email: